SELF-PROPELLED CONVEYORS



Pro Ag 15-45 Conveyor

STANDARD FEATURES:

- 10″ Tube, 15” Belt, 47’ Length
- Up to 9,000 BPH Capacity
- 30 HP Honda Engine
- Self-propelled Kit
- Top Drive

PREMIERE AG



Batco BCX3 1549 Conveyor

STANDARD FEATURES:

- 10″ Tube, 15″ Belt, 49′ Length
- Up to 9,000 BPH Capacity
- 32 HP Vanguard Motor
- Electric Clutch
- Hydraulic Winch & Mover

AGI BATCO

Brandt 15-47 Conveyor

STANDARD FEATURES:

- 10” Tube, 15” Belt, 47’ Length
- Up to 9,000 BPH Capacity
- 38 HP Kohler EFI Engine
- Self-propelled

Brandt



SELF-PROPELLED CONVEYORS



Meridian
20-45 Conveyor

STANDARD FEATURES:

- 10” Tube, 20” Belt, 45’ Length
- Up to 12,000 BPH Capacity
- 38 HP Kohler
- Electric Clutch
- Hydraulic Lift & Mover

Authorized Dealer MERIDIAN



Meridian
15-48 Conveyor

STANDARD FEATURES:

- 10” Tube, 15” Belt, 48’ Length
- Up to 6,500 BPH Capacity
- 26.5 HP Kholer Engine
- Hydraulic Winch
- Poly Down Spout

Authorized Dealer MERIDIAN



Convey-All
16-50 Conveyor

STANDARD FEATURES:

- 10″ Tube, 16″ Belt, 50′ Length
- Up to 9,000 BPH Capacity
- 38 HP Kholer Engine
- Tank Heater, Actuator

CONVEY-ALL®

FIELD LOADER CONVEYORS



Batco 18-39 Conveyor

STANDARD FEATURES:

- 12” Tube, 18” Belt, 39’ Length
- 10,000 BPH Capacity
- Top Drive A-Frame Models
- Windguard
- 12.5 HP Motor

AGI BATCO



Premiere Ag 15-35 Conveyor

STANDARD FEATURES:

- 10” Tube, 15” Belt, 35’ Length
- 7,500 BPH Capacity
- Top Drive Models
- Wind Guard
- 10 HP Motor

PREMIERE AG



Batco FX4 1539 Field Loader

STANDARD FEATURES:

- 10” Tube, 15” Belt, 39’ Length
- 7,500 BPH Capacity
- Top Drive
- Wind Guard
- 10 HP Motor

AGI BATCO

GRAIN BELT CONVEYORS



Brandt 15A Series

STANDARD FEATURES:

- 90’ and 100’ Lengths
- 6,700 BPH Capacity
- 49’ 5” Maximum Height
- Hydraulic Swing Away
- 15” Belt, 10” Tube

OPTIONS AVAILABLE:

Light Kit, Auger Steer, Bucket Spout, Hopper Cover, Hydraulic Brake Winch, Electric Remote and Soft Start Clutch, EZMOVE

Brandt 20A Series

STANDARD FEATURES:

- 95’, 110’, or 125’ Lengths
- 12,000 BPH
- 56’ 11” Maximum Height
- 20” Belt,14” Tube

OPTIONS AVAILABLE:

Light Kit, Hydraulic Steer Kit, Pivot Axle Kit for Bunker Piling, Capacity-Matching Transfer Belts



SWING AWAY CONVEYORS

Convey-All
16-90 Conveyor

STANDARD FEATURES:

- 90’ or 100’ Lengths
- 16” Belt, 10” Tube
- 6,000 BPH Capacity
- Options: Hydraulic Swing & Winch
- Self Propelled

CONVEY-ALL®





Batco
15-90 Conveyor

STANDARD FEATURES:

- 90’ or 100’ Lengths
- 10” Tube, 15” Belt, 75-120’ Lengths
- 6,000 BPH Capacity
- Options: Hydraulic Swing & Winch

AGI BATCO



Meridian
20-100 Conveyor

STANDARD FEATURES:

- 90’, 100’, 110’, 120’ Lengths
- 20” Belt, 10” Tube
- 9,000 BPH
- Options: Electric Swing and Winch

Authorized Dealer
MERIDIAN

DRIVE OVER CONVEYORS



Soaring Eagle SA20

STANDARD FEATURES:

- 20” Belt Width, 27’ Conveyor Length
- 13,000 BPH Capacity
- Low Profile Driveover Frame
- Hydraulic Drive or Electric



Burchland GSX130

STANDARD FEATURES:

- 13” Discharge Auger
- 48” Hopper Opening
- 9,000 BPH Capacity
- 4’ x 4’ Hopper, 7” Rise
- Hydraulic or 3 Phase Electric



Brandt GrainDeck

STANDARD FEATURES:

- 27.4’ Length
- 12,000 BPH
- 5 1/2” Low Deck
- 9’ x 9” Wide Hopper

OPTIONS:

Electric Drive, Hydraulic Drive, Hydraulic Wet Kit, Hydraulic Selector Value Kit, Double Tube Option, Ramp Extensions